



T.D. Sawvel Co. Inc.

Providing Automated Packaging Solutions Since 1976

Notes:

MODEL #113S-K

Scale Controlled Liquid Filler / Liquid Pail Filler /
Fill-to-Weight Scale Filler / Semiautomatic Pail
Filler

Description:

Single head liquid filler featuring stainless steel construction and the latest digitally controlled scale for an extremely accurate fill.

Products:

Liquid or similar self leveling product such as donut icing, glazing, edible oils, fruit flavorings, mayonnaise and sauces.

Key Features:

- Scale controller
- Scale base, 60 lb. capacity
- Fills plastic pails and/or bag-in-box containers
- Quick tooling change for additional size containers
- Capable of integration into existing system
- 1.5" stainless steel ball valves
- Right or left hand operation
- Filter, regulator and lubricator
- Pre-wired and tested at the factory
- Speeds to 4 cpm
- 304 stainless steel construction
- Compact footprint

Container Size Range:

- 1 through 6 gallon

Options Available:

- Larger fill valve assemblies in 2.0", 2.5" and 3.0" sizes
- Ball valve mount posts
- Stainless steel frame with casters and leveling pads
- Roller platforms for infeed and outfeed
- Stainless steel 15 gallon hopper
- Hopper cover
- Drip guard over fill station
- Manual lid press
- Automatic lidding



*Shown with Optional Stainless Steel Frame,
Ball Valve Mount Post and Drip Guard*

Also available in kit form

tdsawvel.com

Toll Free: 877.488.1816 • Phone 763.479.4322 • Fax 763.479.3517 • 5775 Highway 12 West • Maple Plain, MN 55359 U.S.A



T.D. Sawvel Co. Inc.

Providing Automated Packaging Solutions Since 1976

Notes:

MODEL #113S-K

Features and Benefits

Single Electronic Weighing System:

A single electronic scale controller with high sample rates is used.

- Provides reliable highly accurate weight control

Wide Range of Options Available:


- This fill system can be expanded as your business grows!

Base Fill System Configured (kit form):

- Lowest possible cost for digital controlled scale system
- Allows system to be installed to fit your area

Converts from Left Hand Product Flow:

- If your floor plan changes, this machine can convert in the field to match your needs



Shown with Left Hand Product Discharge and Optional Sawvel 119 Manual Lid Press

tdsawvel.com

Toll Free: 877.488.1816 • Phone 763.479.4322 • Fax 763.479.3517 • 5775 Highway 12 West • Maple Plain, MN 55359 U.S.A



T.D. Sawvel Co. Inc.

Providing Automated Packaging Solutions Since 1976

Notes:

MODEL #113S-K

Specifications and Elevation Drawing

Air Requirements:

5 cfm @ 80 psi

Width:

1' 10 1/2" (57.2 cm)

Electrical Requirements:


110V AC, 1 Phase, 5 amp

Length:

3' 8" (111.8 cm)

Shipping Weight:

700 lbs.



tdsawvel.com

Toll Free: 877.488.1816 • Phone 763.479.4322 • Fax 763.479.3517 • 5775 Highway 12 West • Maple Plain, MN 55359 U.S.A