



T.D. Sawvel Co. Inc.

Providing Automated Packaging Solutions Since 1976

Notes:

MODEL #133DP-V

Variegating Piston Depositor / Piston Filler /
Semiautomatic Piston Filler / Tabletop Filler

Description:

Dual cylinder tabletop piston depositor for dispensing product (with or without inclusions) and variegates or sauces at the same time, creating a variegated pattern from both products.

Products:

Batch produced ice cream with liquid variegate, yogurt with fruit sauce, muffin batter with cinnamon sugar syrup or similar product that can be pumped with a piston depositor.

Key Features:

- Compact tabletop design
- Extremely accurate portioning
- 20.50 ounces of ice cream/5.5 variegate volume
- Variegate percentage adjustment from 12% down
- Adjustable for total volume, 4 through 26 ounces
- 6 gallon ice cream hopper and 2 gallon syrup hopper
- Controls for foot pedal operation
- Quick change nozzles
- Easily disassembled for cleaning, no tools required
- Can be mounted directly to our Model #111 Automatic Filler for a fully automatic operation of denesting, filling and lidding
- 304 stainless steel & plastic construction



Options Available:

- Larger hopper set; 12 gallon ice cream hopper and 6 gallon syrup hopper
- Container spinner, frame required
- Additional change nozzles for a variety of patterns
- Hopper blanket
- Multi-stroke controls
- Nozzle for feeding up to 1/2" diameter inclusions
- 304 stainless steel frame with adjustable height fill platform

tdsawvel.com

Toll Free: 877.488.1816 • Phone 763.479.4322 • Fax 763.479.3517 • 5775 Highway 12 West • Maple Plain, MN 55359 U.S.A



T.D. Sawvel Co. Inc.

Providing Automated Packaging Solutions Since 1976

Notes:

MODEL #133DP-V

Features and Benefits

Extremely Accurate Portioning:

- More accurate fill will save you money
- Faster production with less labor

Quick Change Nozzles:


- Change time is less than 1 minute
- Infinite number of patterns achievable
- Create your own exclusive look!

Easily Disassembled for Cleaning:

- No tools needed
- Saves time on clean-up

304 Stainless Steel & Plastic Construction:

- FDA approved plastic materials used on our pump body
- Insulates cold products for less heat soak during filling
- 100% stainless steel version available for filling hot products
- Can be mounted for a semiautomatic or fully automatic production



Shown with Optional Stainless Steel Frame & Adjustable Height Platform

tdsawvel.com

Toll Free: 877.488.1816 • Phone 763.479.4322 • Fax 763.479.3517 • 5775 Highway 12 West • Maple Plain, MN 55359 U.S.A



T.D. Sawvel Co. Inc.

Providing Automated Packaging Solutions Since 1976

Notes:

MODEL #133DP-V

Specifications and Elevation Drawings

Air Requirements:

7 cfm @ 80 psi

Width:

2' 5 1/2" (74.93 cm)

Electrical Requirements:

none

Length:

3" 2" (96.52 cm)

Shipping Weight:

200 lbs.